This listing of claims will replace all prior versions, and listings, of claims in the application;

Listing of Claims:

 (Currently Amended) A near infrared fluorescent contrast agent comprising a pharmaceutically acceptable injectable carrier for diagnostic imaging and a compound of the following formula or a pharmaceutically acceptable salt thereof:

wherein

 R^1 , R^2 , R^7 , and R^8 independently represent a substituted or unsubstituted C_1 - C_{10} alkyl group or a substituted or unsubstituted aryl group; [[₁]] or

 R^1 and R^2 and/or R^7 and R^8 bind to each other to form a ring;

 R^3 , R^4 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{12} independently represent a hydrogen atom, a substituted or unsubstituted C_1 - C_6 alkyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted heteroaryl group, a halogen atom, cyano group, carboxyl group, or sulfo group; [[τ]] or

two of R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹, and R¹² bind to each other to form a ring;

 X^2 represents a substituted or unsubstituted C_1 - C_{15} alkyl group or a substituted or unsubstituted aryl group; and

X1 is a group represented by the following formula

wherein

X¹ and X² in total have 2 or 4 carboxyl groups;

 Y^1 and Y^2 independently represent a substituted or unsubstituted divalent linking group; and

X^4 and X^2 in total have 2 or 4 carboxyl groups;

 m^1 represents 0 or 1;

m2 represents 0 or 1;

m3 represents 0 or 1;

 L^1 , L^2 , L^3 , L^4 , L^5 , L^6 , and L^7 independently represent a substituted or unsubstituted methine group, provided that when two or more of the methine groups have substituents, the substituents bind to each other to form a rine:

M represents a hydrogen atom, a metal, or a quaternary ammonium salt; and

n represents an integer of 1 to 7 necessary for neutralizing charge

and a pharmaceutically acceptable carrier for diagnostic imaging.

- 2. (Original) The near infrared fluorescent contrast agent according to claim 1, wherein each of m^1, m^2 , and m^3 is 1.
 - (Canceled)
- 4. (Previously Presented) The near infrared fluorescent contrast agent according to claim 1, wherein X^1 and X^2 independently represent a group represented by the following formula:

wherein Y¹ and Y² independently represent a substituted or unsubstituted divalent bond.

- 5. (Original) The near infrared fluorescent contrast agent according to Claim 1, wherein at least one of R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹, and R¹² is a substituted or unsubstituted aryl group or a substituted or unsubstituted heteroaryl group.
 - 6. (Canceled)

- (Canceled)
- (Currently Amended) The near infrared fluorescent contrast agent according to Claim 3,

wherein Y_1 represents -(CH₂)_pCONH-₂ wherein p represents an integer of 1 to 4 and Y_2 represents -(CH₂)- or (CH₂)₂-.

- (Cancelled)
- 10. (Cancelled)
- 11. (Currently Amended) A method of fluorescence imaging, comprising which comprises the steps introducing the near infrared fluorescent contrast agent according to Claim 1 into a living body, exposing said body to an excitation light, and detecting near infrared fluorescence from the contrast agent.
- (Currently Amended) A <u>The</u> method of claim 11, <u>which is</u> for tumor imaging.
- (Currently Amended) A <u>The</u> method of claim 11, <u>which is</u> for angiography.
- 14. (New) The near infrared fluorescent contrast agent according to claim 1, wherein the pharmaceutically acceptable injectable carrier for diagnostic imaging is injectable distilled water.
- 15. (New) The near infrared fluorescent contrast agent according to claim 1, wherein the pharmaceutically acceptable injectable carrier for diagnostic imaging is physiological saline.

- 16. (New) The near infrared fluorescent contrast agent according to claim 1, wherein the pharmaceutically acceptable injectable carrier for diagnostic imaging is Ringer's solution.
- 17. (New) The near infrared fluorescent contrast agent according to Claim 5, wherein at least one of R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹, and R¹² is a substituted or unsubstituted aryl group.
- 18. (New) The near infrared fluorescent contrast agent according to Claim 5, wherein at least one of R^3 , R^4 , R^5 , R^6 , R^9 , R^{10} , R^{11} , and R^{12} is a substituted or unsubstituted heteroaryl group.